



## Single and Multi Zone Systems



### Why **DAIKIN**



### **DAIKIN**

#### Dealer Loyalty Program Highlights

- 100% Accrual Based Program
- No matching of Accrual funds required
- Accruals don't expire until 3/31 the following year
- No Annual Program Fee
- Accrual Dollars earned on all Daikin Single and Multi Zone qualifying equipment purchases (calculated at 1.25 % of list price)
- Lead generation
- Consumer Financing

Ask your Distributor for further details.

- **DAIKIN** was established in 1924 (Over 90 years in business)
- Largest HVACR manufacture in the world
- 97% of business is dedicated to HVAC and refrigerants
- Developed first multi-port mini split system in 1969
- Developed Japan's first VRV system in 1982
- Acquired McQuay in 2006
- Acquired Goodman Manufacturing in 2012
- In 2015 **DAIKIN** Approved a \$417 million dollar state of the art manufacturing facility here in the USA
- All condensing units come standard with a Polyethylene coating for extra protection against corrosion.
- With a **DAIKIN** Envi Thermostat, Customers can control their system from anywhere in the world via WiFi
- Free training and NATE credit at <http://daikinuniversity.com/>
- **DAIKIN** eQuip app for your On-The-Go HVAC Solutions

		<h4>Best Warranty in The Industry</h4> <p>Complete warranty details available from your local dealer or at the web address below. To receive the Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec.  <a href="http://www.daikinac.com/resources/warranty">http://www.daikinac.com/resources/warranty</a></p>
		<p>The <b>Optional AsureSM</b> Plan, backed by the full faith and credit of <b>DAIKIN</b>, complements the standard product warranty by providing labor coverage and additional years of parts coverage, based on the plan selected. Your AsureSM dealer can provide you with details on the different coverage options available.</p>

Warranty Claim:  
[Warranty@DaikinComfort.com](mailto:Warranty@DaikinComfort.com)

Technical Support:  
 Phone: (855) 324-5461  
[Techsupport@DaikinComfort.com](mailto:Techsupport@DaikinComfort.com)

Website:  
[www.daikinac.com](http://www.daikinac.com)

Effective December 2016

# 15 Series

**0.75 Ton to 2.0 Ton Cooling Only or Heat Pump**  
**Up to 15 SEER & 8.2 HSPF**  
**Single Zone Wall-Mount Systems**  
**Standard Operating Range:**

Heating: 5°F/-15°C - 64.4°F/18°C  
 Cooling: 50°F/10°C - 114.8°F/60°C



**Standard Features**

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics with Digital Display
- Econo Mode / Dry Function / Powerful Mode
- Auto Fan Speed Control
- Anti-Corrosion Treatment on Heat Exchanger
- Wireless IR Remote Controller
- Indoor/Outdoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 49' Length, 39' Height**
- **Max Piping (15/18/24 MBH): 98' Length, 66' Height**

15 Series 15 SEER Wall-Mount Systems - Heat Pump										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOCP	Price
RXN09NMVJU	FTXN09NMVJU	9,000	15	10.4	8.2	11¼ x 30¾ x 8¾	53/18	¼ x ¾	15	\$1,313.00
RXN12NMVJU	FTXN12NMVJU	12,000	15	10.5	8.2	11¼ x 30¾ x 8¾	53/18	¼ x ¾	15	\$1,471.00
RXN18NMVJU	FTXN18NMVJU	18,000	15	12.2	8.2	11½ x 39 x 10¾	97/26	¼ x ½	15	\$1,924.00
RXN24NMVJU	FTXN24NMVJU	24,000	15	9.2	8.2	11½ x 39 x 10¾	97/26	¼ x ⅝	20	\$2,293.00

\* Outdoor / Indoor

15 Series 15 SEER Wall-Mount Systems - Cooling Only										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOCP	Price
RKN09NMVJU	FTKN09NMVJU	9,000	15	10.4		11¼ x 30¾ x 8¾	53/18	¼ x ¾	15	\$1,180.00
RKN12NMVJU	FTKN12NMVJU	12,000	15	10.5		11¼ x 30¾ x 8¾	53/18	¼ x ¾	15	\$1,324.00
RKN18NMVJU	FTKN18NMVJU	18,000	15	11		11½ x 39 x 10¾	97/26	¼ x ½	15	\$1,756.00
RKN24NMVJU	FTKN24NMVJU	24,000	15	9.2		11½ x 39 x 10¾	97/26	¼ x ⅝	20	\$2,069.00

\* Outdoor / Indoor

Optional Accessories		
Indoor Unit		Price
BRP072A43	Wireless Interface Adapter (S21 Adapter Included)	\$233.00
DACA-TS1-1	Daikin ENVi Intelligent Thermostat Kit (Adaptor Required)	\$420.00
BRC944B2-A08	Wired Remote Controller kit (Adaptor Required)	\$212.00
BRCW901A08	Wired Remote Controller Cord - 8m (Included in above kit)	\$0.00
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$80.00
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$144.00
KRP980B2	Adaptor for wired remote controller (18 & 24)	\$227.00
KRP067A41	Adaptor for wired remote controller (09 & 12)	\$192.00
KAF970A45	Titanium apatite photocatalytic air-purifying filter WITH frame	\$96.00
KAF970A46	Titanium apatite photocatalytic air-purifying filter WITHOUT frame	\$78.00
DACA-CP3-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$240.00

Outdoor Unit		Price
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$54.00
KPW063A4	Air direction adjustment grille (18 & 24)	\$229.00
KPW937E4	Air direction adjustment grille (09 & 12)	\$210.00
KKG067A41	Back protection wire net (09 & 12)	\$148.00
KKG063A42	Back protection wire net (18 & 24)	\$179.00
KKG063A43	Side protection wire net (18 & 24)	\$165.00
KKP937A4	Drain Plug for OD Unit	\$28.00

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

# 19 Series

0.75 Ton to 2.0 Ton Cooling Only or Heat Pump  
Up to 19 SEER & 9.0 HSPF

Single Zone Wall-Mount System

Standard Operating Range:

Heating: 5°F/-15°C - 64.4°F/18°C

Cooling: 50°F/10°C - 114.8°F/60°C



## Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics with Digital Display
- Econo Mode / Dry Function / Powerful Mode
- Auto Fan Speed Control
- Anti-Corrosion Treatment on Heat Exchanger
- Wireless Backlit, IR Remote Controller
- Indoor/Outdoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (15/18/24 MBH): 98' Length, 66' Height**

### 19 Series 19 SEER Wall-Mount Systems - Heat Pump

Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOC	Price
RX09NMVJU	FTX09NMVJU	9,000	19	12.5	9	11¼ x 30¾ x 8¾	55/18	¼ x ⅜	15	\$1,467.00
RX12NMVJU	FTX12NMVJU	12,000	19	12.5	9	11¼ x 30¾ x 8¾	60/18	¼ x ⅜	15	\$1,649.00
RX18NMVJU	FTX18NMVJU	18,000	18	12.5	9	11½ x 39 x 10%	97/26	¼ x ½	20	\$2,484.00
RX24NMVJU	FTX24NMVJU	24,000	18	12.5	9	11½ x 39 x 10%	108/26	¼ x ⅝	20	\$2,662.00

\* Outdoor / Indoor

### 19 Series 19 SEER Wall-Mount Systems - Cooling Only

Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOC	Price
RK09NMVJU	FTK09NMVJU	9,000	19	12.5	N/A	11¼ x 30¾ x 8¾	55/18	¼ x ⅜	15	\$1,320.00
RK12NMVJU	FTK12NMVJU	12,000	19	12.5	N/A	11¼ x 30¾ x 8¾	60/18	¼ x ⅜	15	\$1,484.00
RK18NMVJU	FTK18NMVJU	18,000	18	12.5	N/A	11½ x 39 x 10%	97/26	¼ x ½	20	\$2,236.00
RK24NMVJU	FTK24NMVJU	24,000	18	12.5	N/A	11½ x 39 x 10%	108/26	¼ x ⅝	20	\$2,396.00

\* Outdoor / Indoor

### Optional Accessories

Indoor Unit	Price	
BRP072A43	Wireless Interface Adapter (S21 Adapter Included)	\$233.00
DACA-TS1-1	Daikin ENVi Intelligent Thermostat Kit (Adaptor Required)	\$420.00
BRC944B2-A08	Wired Remote Controller kit (Adaptor Required)	\$212.00
BRCW901A08	Wired Remote Controller Cord - 8m (Included in above kit)	\$0.00
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$80.00
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$144.00
KRP980B2	Adaptor for wired remote controller (18 & 24)	\$227.00
KRP067A41	Adaptor for wired remote controller (09 & 12)	\$192.00
KAF970A45	Titanium apatite photocatalytic air-purifying filter WITH frame	\$96.00
KAF970A46	Titanium apatite photocatalytic air-purifying filter WITHOUT frame	\$78.00
DACA-CP3-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$240.00

Outdoor Unit	Price	
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$54.00
KPW063A4	Air direction adjustment grille (18 & 24)	\$229.00
KPW937E4	Air direction adjustment grille (09 & 12)	\$210.00
KEH067A41E	Daikin BMS DrainPan Heater Small RX09,12 & RXN09,12	\$195.00
KEH063A4E	Daikin BML DrainPan Heater Large RX18,24 & RXN18,24	\$295.00
KKG067A41	Back protection wire net (09 & 12)	\$148.00
KKG063A42	Back protection wire net (18 & 24)	\$179.00
KKG063A43	Side protection wire net (18 & 24)	\$165.00
KKP937A4	Drain Plug for OD Unit	\$28.00

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

# Aurora (Enhanced Capacity)

**0.75 Ton to 1.25 Ton Cooling Only or Heat Pump**  
**20 SEER & Up To 12.5 HSPF**  
**Single Zone Wall-Mount & Low-Wall/Floor-Mount System**  
**Up to 100% Heating capacity at 5°F / -15°C**  
**Up to 100% Cooling capacity at 104°F / 40°C**  
**Standard Operating Range:**

Heating: -13°F/-25°C - 60°F/15.5°C  
 Cooling: 50°F/10°C - 114.8°F/60°C



## Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics with Digital Display
- Econo Mode / Dry Function / Powerful Mode
- Auto Fan Speed Control
- Anti-Corrosion Treatment on Heat Exchanger
- Wireless Backlit, IR Remote Controller
- Indoor/Outdoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (15 MBH): 98' Length, 66' Height**

20 Series 20 SEER Wall-Mount Systems - Heat Pump										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOCP	Price
RXL09QMVJU	FTX09NMVJU	9,000	20	12.5	12.5	11¼ x 30¾ x 8¾	60/18	¼ x ¾	15	\$1,729.00
RXL12QMVJU	FTX12NMVJU	12,000	20	12.5	12	11¼ x 30¾ x 8¾	70/18	¼ x ¾	15	\$2,027.00
RXL15QMVJU	FTX15NMVJU	15,000	20	13.0	12.5	11½ x 39 x 10%	108/27	¼ x ½	15	\$2,880.00

\* Outdoor / Indoor

20 Series 20 SEER Low-Wall/Floor-Mount Systems - Heat Pump										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOCP	Price
RXL09QMVJU	FVXS09NVJU	9,000	20	12.5	11.7	23¾ x 27 <sup>9</sup> / <sub>16</sub> x 8¼	60/31	¼ x ¾	15	\$2,156.00
RXL12QMVJU	FVXS12NVJU	12,000	20	12	11.4	23¾ x 27 <sup>9</sup> / <sub>16</sub> x 8¼	70/31	¼ x ¾	15	\$2,507.00
RXL15QMVJU	FVXS15NVJU	15,000	20	12.5	11.3	23¾ x 27 <sup>9</sup> / <sub>16</sub> x 8¼	108/31	¼ x ½	15	\$3,264.00

\* Outdoor / Indoor

Optional Accessories		
Indoor Unit		Price
BRP072A43	Wireless Interface Adapter (S21 Adapter Included)	\$233.00
DACA-TS1-1	Daikin ENVI Intelligent Thermostat Kit	\$420.00
BRC944B2-A08	Wired Remote Controller kit (Adaptor Required)	\$212.00
BRCW901A08	Wired Remote Controller Cord - 8m (Included in above kit)	\$0.00
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$80.00
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$144.00
KRP980B2	(FTX Only) Adaptor for wired remote controller (15)	\$227.00
KRP067A41	(FTX Only) Adaptor for wired remote controller (09 & 12)	\$192.00
KAF970A45	(FTX Only) Titanium apatite photocatalytic air-purifying filter WITH frame	\$96.00
KAF970A46	(FTX Only) Titanium apatite photocatalytic air-purifying filter WITHOUT frame	\$78.00
KAF968B42	(FVXS Only) Titanium apatite photocatalytic air-purifying filter WITH frame	\$78.00
DACA-CP3-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$240.00

Outdoor Unit		Price
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$54.00
KPW063A4	Air direction adjustment grille (15)	\$229.00
KPW937E4	Air direction adjustment grille (09 & 12)	\$210.00
KEH067A41E	Daikin BMS DrainPan Heater Small (09 & 12)	\$195.00
KEH063A4E	Daikin BML DrainPan Heater Large (15)	\$295.00
KKG067A41	Back protection wire net (09 & 12)	\$148.00
KKG063A42	Back protection wire net (15)	\$179.00
KPS067A41	Snow hood (intake side plate) (09 & 12)	\$278.00
KPS067A42	Snow hood (intake rear plate) (09 & 12)	\$293.00
KPS067A44	Snow hood (outlet) (09 & 12)	\$325.00
KPS063A41	Snow hood (intake side plate) (15)	\$278.00
KPS063A44	Snow hood (intake rear plate) (15)	\$313.00
KPS063A47	Snow hood (outlet) (15)	\$505.00
KKP937A4	Drain Plug for OD Unit	\$28.00

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

# Vista

**0.75 Ton to 1.5 Ton Heat Pump**  
**20 SEER & Up To 11.7 HSPF**  
**Single Zone Ceiling Cassette**  
**Standard Operating Range:**

Heating: 5°F/-15°C - 64.4°F/18°C  
 Cooling: 50°F/10°C - 114.8°F/60°C



**Note: Décor panel and controller sold separately**

### Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics
- Hot-start function
- Auto-swing (up and down)
- Anti-Corrosion Treatment on Heat Exchanger
- Indoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 66' Length, 49' Height**
- **Max Piping (15/18 MBH): 98' Length, 66' Height**



VISTA Ceiling Cassette Systems - Heat Pump										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOCP	Price
RX09QMVJU	FFQ09Q2VJU	9,000	20.9	13.0	11.7	10-1/4 x 22-5/8 x 22-5/8	60/36	1/4 x 3/8	15	\$2,161.55
RX12QMVJU	FFQ12Q2VJU	12,000	20.2	12.5	11.2	10-1/4 x 22-5/8 x 22-5/8	60/36	1/4 x 3/8	15	\$2,610.67
RX15QMVJU	FFQ15Q2VJU	15,000	20.7	12.5	11	10-1/4 x 22-5/8 x 22-5/8	97/36	1/4 x 1/2	15	\$3,143.47
RX18QMVJU*	FFQ18Q2VJU*	18,000	19.3	12.5	10.1	10-1/4 x 22-5/8 x 22-5/8	97/40	1/4 x 1/2	20	\$3,555.16

\* Contact your local distributor for availability.

Required Accessories (1 controller and 1 Panel)		
Indoor Unit		Price
BRC1E73	Wired Navigation Remote Controller	\$350.00
BRC082A42W	Wireless Remote Controller (White)	\$280.00
BRC082A42S	Wireless Remote Controller (Silver)	\$280.00
BYFQ60C2W1S	Low Profile Decoration Panel (Silver) - 1-13/16 x 24-7/16 x 24-7/16	\$244.19
BYFQ60C2W1W	Low Profile Decoration Panel (White) - 1-13/16 x 24-7/16 x 24-7/16	\$209.30

Optional Accessories		
Indoor Unit		Price
BRYQ60A2S	Sensor kit (Silver) Intelligent Eye, Comfort Airflow, and Floor Sensor	\$220.93
BRYQ60A2W	Sensor kit (White) Intelligent Eye, Comfort Airflow, and Floor Sensor	\$186.05
BDBHQ44C60	Sealing member of air discharge outlet	\$233.00
KAFQ441BA60	Longlife filter	\$108.00

Outdoor Unit		Price
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$54.00
KPW063A4	Air direction adjustment grille (15 & 18)	\$229.00
KPW937E4	Air direction adjustment grille (09 & 12)	\$210.00
KEH067A41E	Daikin BMS DrainPan Heater Small (09 & 12)	\$195.00
KEH063A4E	Daikin BML DrainPan Heater Large (15 & 18)	\$295.00
KKG067A41	Back protection wire net (09 & 12)	\$148.00
KKG063A42	Back protection wire net (15 & 18)	\$179.00
KPS067A41	Snow hood (intake side plate) (09 & 12)	\$278.00
KPS067A42	Snow hood (intake rear plate) (09 & 12)	\$293.00
KPS067A44	Snow hood (outlet) (09 & 12)	\$325.00
KPS063A41	Snow hood (intake side plate) (15 & 18)	\$278.00
KPS063A44	Snow hood (intake rear plate) (15 & 18)	\$313.00
KPS063A47	Snow hood (outlet) (15 & 18)	\$505.00
KKP937A4	Drain Plug for OD Unit	\$28.00

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

# LV-Series 20+ SEER

**0.75 Ton to 2.0 Ton Cooling Only or Heat Pump**  
**Up to 24.5 SEER & 12.5 HSPF**  
**Single Zone Wall-Mount and Slim-Duct System**  
**Standard Operating Range:**

Heating: 5F/-15°C - 64.4F/18°C  
 Cooling: 14F/-10°C - 114.8F/60°C



## Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Wireless Backlit, IR Remote Controller
- Precharged for up to 33 ft of Liquid Line
- Indoor Sound Pressure as Low as 22 dB(A)
- Outdoor Sound Pressures as Low as 48 dB(A)
- Program Dry Function
- **Max Piping (09/12 MBH): 66' Length, 49' Height**
- **Max Piping (15/18/24 MBH): 98' Length, 66' Height**



- 3-D Airflow (FTXS Only)
- Weekly Timer (FTXS Only)
- Intelligent Eye (FTXS Only)
- Powerful Operation
- Auto Fan Speed Control
- Outdoor Unit Quiet Operation
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display
- Anti-Corrosion Treatment on Outdoor Heat Exchanger

LV Series 20 SEER Wall-Mount Systems - Heat Pump										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOCP	Price
RXS09LVJU	FTXS09LVJU	9,000	24.5	15.3	12.5	11 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>2</sub> x 8 <sup>7</sup> / <sub>16</sub>	75 / 20	1/4 x 3/8	15	\$1,941.00
RXS12LVJU	FTXS12LVJU	12,000	23.0	12.8	12.5	11 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>2</sub> x 8 <sup>7</sup> / <sub>16</sub>	75 / 22	1/4 x 3/8	15	\$2,217.00
RXS15LVJU	FTXS15LVJU	15,000	20.6	14.4	11.6	13 <sup>3</sup> / <sub>8</sub> x 41 <sup>5</sup> / <sub>16</sub> x 9 <sup>3</sup> / <sub>4</sub>	104 / 31	1/4 x 1/2	20	\$2,789.00
RXS18LVJU	FTXS18LVJU	18,000	20.3	12.7	11.0	13 <sup>3</sup> / <sub>8</sub> x 41 <sup>5</sup> / <sub>16</sub> x 9 <sup>3</sup> / <sub>4</sub>	104 / 31	1/4 x 1/2	20	\$3,092.00
RXS24LVJU	FTXS24LVJU	24,000	20.0	12.5	10.6	13 <sup>3</sup> / <sub>8</sub> x 41 <sup>5</sup> / <sub>16</sub> x 9 <sup>3</sup> / <sub>4</sub>	159 / 31	1/4 x 5/8	20	\$3,473.00

\* Outdoor / Indoor

LV Series 15 SEER Concealed Slim Duct Systems - Heat Pump										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOCP	Price
RXS09LVJU	FDXS09LVJU	9,000	15.0	11.2	10.3	7 <sup>7</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 24 <sup>7</sup> / <sub>16</sub>	75 / 47	1/4 x 3/8	15	\$2,375.00
RXS12LVJU	FDXS12LVJU	12,000	15.5	9.1	10.4	7 <sup>7</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 24 <sup>7</sup> / <sub>16</sub>	75 / 47	1/4 x 3/8	15	\$2,672.00

\* Outdoor / Indoor

Optional Accessories			Price
<b>Indoor Unit</b>			
BRP072A43	Wireless Interface Adapter		\$233.00
BRC944B2-A08	Wired Remote Controller		\$212.00
BRCW901A08	Wired Remote Controller Cord - 3m		\$0.00
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft		\$80.00
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft		\$144.00
DACA-ARCW901P10	IR Receiver Cable, Plenum Rated, 10ft (FDXS Only)		\$85.00
DACA-ARCW901P25	IR Receiver Cable, Plenum Rated, 25ft (FDXS Only)		\$175.00
DACA-TS1-1	Daikin ENVi Intelligent Thermostat Kit		\$420.00
DACA-CP3-1	Condensate Pump (Fits inside all Daikin indoor unit heads)		\$240.00

Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$127.00
KEH041A41	Drain Pan Heater RXS09_12LV	\$185.00
KEH041A42	Drain Pan Heater RXS15_18LV	\$205.00
KEH041A43	Drain Pan Heater RXS24LV	\$205.00
KKP937A4	Drain Plug for OD Unit	\$28.00
KPW937C4	Low Ambient Wind Baffle / Air Adjustment Grille (09/12 MBH)	\$210.00
KPW945A4	Low Ambient Wind Baffle / Air Adjustment Grille (15/18/24 MBH)	\$231.00

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

**0.75 Ton to 1.25 Ton Heat Pump  
Up to 6.1 SEER & 15.8 HSPF  
Single Zone Wall-Mount System  
Standard Operating Range:**

Heating: -4°F/-20°C – 75°F/23.9°C  
Cooling: 14°F/-10°C - 109°F/42.8°C



**Standard Features**

- Inverter Compressor
- 208/230/1 Power Supply
- Precharged for up to 32 ft of Liquid Line
- Indoor Sound Pressure as Low as 26 dB(A)
- Outdoor Sound Pressures as Low as 46 dB(A)
- Flash Streamer Technology
- Advanced dehumidification
- **Max Piping: 32' Length, 26' Height**
- 3-D Airflow
- Comfortable Mode
- Indoor Unit Quiet Operation
- Auto Changeover
- Auto Fan Speed Control
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger



Quaterniti Wall-Mount Systems - Heat Pump										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight * (lbs)	Line Size	MOCF	Price
RXG09HVJU	FTXG09HVJU	9,000	24.5	15.3	12.5	11 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>2</sub> x 8 <sup>7</sup> / <sub>16</sub>	75 / 20	1/4 x 3/8	15	\$3,363.00
RXG12HVJU	FTXG12HVJU	12,000	23.0	12.8	12.5	11 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>2</sub> x 8 <sup>7</sup> / <sub>16</sub>	75 / 22	1/4 x 3/8	15	\$3,644.12
RXG15HVJU	FTXG15HVJU	15,000	20.6	14.4	11.6	13 <sup>3</sup> / <sub>8</sub> x 41 <sup>5</sup> / <sub>16</sub> x 9 <sup>3</sup> / <sub>4</sub>	104 / 31	1/4 x 1/2	20	\$3,793.56

\* Outdoor / Indoor

Optional Accessories		
Indoor Unit		Price
DACA-TS1-1	Daikin ENVi Intelligent Thermostat Kit	\$420.00
DACA-CP3-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$240.00
Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$127.00
KKP937A4	Drain Plug for OD Unit	\$28.00
KPW937C4	Air Adjustment Grille	\$210.00

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

# MXS/MXL Series

Up to 4.0 Ton Heat Pump  
 Up to 18.9 SEER & 12.7 EER & 12.5 HSPF  
 2, 3, 4 and 8-Zone Multi-Zone  
 Standard Operating Range:

MXS Heating: 5°F/-15°C - 59.9°F/15.5°C  
 MXL Heating: -13°F/-25°C - 59.9°F/15.5°C  
 Cooling: 14°F/-10°C - 114.8°F/60°C



\*\*\*Energy Star rating for 2MXS/2MXL, 3MXS/3MXL Non-ducted configuration Only\*\*\*

### Standard Features

- 208/230/1 Power Supply
- Up to 100% Heating capacity at 5°F / -15°C (MXL Enhanced Capacity Only)
- Up to 100% Cooling capacity at 104°F /40°C (MXL Enhanced Capacity Only)
- Precharged for up to 131 ft of Liquid Line
- Outdoor Sound Pressures as Low as 48 dB(A)
- Indoor Sound Pressure as Low as 22 dB(A)
- Outdoor Unit Quiet Operation
- Auto Changeover
- Auto Fan Speed Control
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger



MXS Outdoor Unit - Heat Pump								
Outdoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	MOCP	Price
2MXS18NMVJU	18,000	50	51	28 <sup>5</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub>	¼ x ¾ (1), ½ (1)	123	20	\$2,650.00
3MXS24NMVJU	24,000	52	54	28 <sup>5</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub>	¼ (3) x ¾ (1), ½ (2)	137	20	\$3,418.00
4MXS36NMVJU	36,000	52	54	28 <sup>5</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub>	¼ (4) x ¾ (1), ½ (2), ⅝ (1)	139	20	\$3,880.00
RMXS48LVJU*	48,000	56	58	52 <sup>15</sup> / <sub>16</sub> x 35 <sup>7</sup> / <sub>16</sub> x 12 <sup>5</sup> / <sub>8</sub>	¾ x ¾ (Refer to sizing tool)	283	30	\$5,200.00

MXL Outdoor Unit - Heat Pump (Enhanced Capacity)								
Outdoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	MOCP	Price
2MXL18QMVCJU	18,000	50	51	28 <sup>5</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub>	¼ x ¾ (1), ½ (1)	139	20	\$2,981.00
3MXL24QMVCJU	24,000	52	54	28 <sup>5</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub>	¼ (3) x ¾ (1), ½ (2)	140	20	\$3,710.00

EMURA							
Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	Price
CTXG09QVJUW	9,000	38/32/25/21	41/34/28/21	11 <sup>-15</sup> / <sub>16</sub> x 39 <sup>-5</sup> / <sub>16</sub> x 8 <sup>-3</sup> / <sub>8</sub>	¼ x ¾	27	\$755.81
CTXG12QVJUW	12,000	45/34/26/22	45/37/29/22	11 <sup>-15</sup> / <sub>16</sub> x 39 <sup>-5</sup> / <sub>16</sub> x 8 <sup>-3</sup> / <sub>8</sub>	¼ x ¾	27	\$872.09
CTXG18QVJUW	18,000	46/40/35/32	47/41/35/32	11 <sup>-15</sup> / <sub>16</sub> x 39 <sup>-5</sup> / <sub>16</sub> x 8 <sup>-3</sup> / <sub>8</sub>	¼ x ½	27	\$1,104.65
CTXG09QVJUS	9,000	38/32/25/21	41/34/28/21	11 <sup>-15</sup> / <sub>16</sub> x 39 <sup>-5</sup> / <sub>16</sub> x 8 <sup>-3</sup> / <sub>8</sub>	¼ x ¾	27	\$790.70
CTXG12QVJUS	12,000	45/34/26/22	45/37/29/22	11 <sup>-15</sup> / <sub>16</sub> x 39 <sup>-5</sup> / <sub>16</sub> x 8 <sup>-3</sup> / <sub>8</sub>	¼ x ¾	27	\$906.98
CTXG18QVJUS	18,000	46/40/35/32	47/41/35/32	11 <sup>-15</sup> / <sub>16</sub> x 39 <sup>-5</sup> / <sub>16</sub> x 8 <sup>-3</sup> / <sub>8</sub>	¼ x ½	27	\$1,139.53


Floor-Standing Indoor Units							
Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	Price
FVXS09NVJU	9,000	38/32/26/23	38/32/26/23	23 <sup>5</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 8 <sup>1</sup> / <sub>4</sub>	¼ x ¾	31	\$948.00
FVXS12NVJU	12,000	39/33/27/24	39/33/27/24	23 <sup>5</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 8 <sup>1</sup> / <sub>4</sub>	¼ x ¾	31	\$1,049.00
FVXS15NVJU	15,000	44/40/36/32	44/40/36/32	23 <sup>5</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 8 <sup>1</sup> / <sub>4</sub>	¼ x ½	31	\$1,060.00
FVXS18NVJU	18,000	44/40/36/32	44/40/36/32	23 <sup>5</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 8 <sup>1</sup> / <sub>4</sub>	¼ x ½	31	\$1,151.00

Wall-Mount Indoor Units							
Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	Price
CTXS07LVJU	7,000	38/32/25/22	38/33/28/25	11 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>2</sub> x 8 <sup>7</sup> / <sub>16</sub>	¼ x ¾	20	\$551.00
FTXS09LVJU	9,000	41/33/25/22	42/35/28/25	11 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>2</sub> x 8 <sup>7</sup> / <sub>16</sub>	¼ x ¾	20	\$624.00
FTXS12LVJU	12,000	45/37/29/23	45/39/29/26	11 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>2</sub> x 8 <sup>7</sup> / <sub>16</sub>	¼ x ¾	22	\$638.00
FTXS15LVJU	15,000	45/40/35/32	43/38/33/30	13 <sup>3</sup> / <sub>8</sub> x 41 <sup>5</sup> / <sub>16</sub> x 9 <sup>3</sup> / <sub>4</sub>	¼ x ½	31	\$713.00
FTXS18LVJU	18,000	46/41/36/33	45/40/35/32	13 <sup>3</sup> / <sub>8</sub> x 41 <sup>5</sup> / <sub>16</sub> x 9 <sup>3</sup> / <sub>4</sub>	¼ x ½	31	\$753.00
FTXS24LVJU	24,000	5¼/4/37/34	48/42/37/34	13 <sup>3</sup> / <sub>8</sub> x 41 <sup>5</sup> / <sub>16</sub> x 9 <sup>3</sup> / <sub>4</sub>	¼ x ⅝	31	\$926.00

Concealed Slim-Duct Indoor Units							
Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	Price
FDXS09LVJU	9,000	35/33/31	35/33/31	7 <sup>7</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 24 <sup>7</sup> / <sub>16</sub>	¼ x ¾	47	\$1,058.00
FDXS12LVJU	12,000	35/33/31	35/33/31	7 <sup>7</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 24 <sup>7</sup> / <sub>16</sub>	¼ x ¾	47	\$1,093.00
CDXS15LVJU	15,000	37/35/33/31	37/35/33/31	7 <sup>7</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 24 <sup>7</sup> / <sub>16</sub>	¼ x ½	60	\$1,291.00
CDXS18LVJU	18,000	37/35/33/31	37/35/33/31	7 <sup>7</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 24 <sup>7</sup> / <sub>16</sub>	¼ x ½	60	\$1,446.00
CDXS24LVJU	24,000	37/35/33/31	37/35/33/31	7 <sup>7</sup> / <sub>8</sub> x 27 <sup>9</sup> / <sub>16</sub> x 24 <sup>7</sup> / <sub>16</sub>	¼ x ⅝	60	\$1,550.00

2' X 2' Ceiling Cassette Indoor Units (Must Include Decoration Panel and controller)							
Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D (Cabinet Only)	Line Size & Qty	Weight	Price
FFQ09Q2VJU	9,000	36/29	36/29	10¼ x 22 <sup>-5</sup> / <sub>8</sub> x 22 <sup>-5</sup> / <sub>8</sub>	¼ x ¾	36	\$1,061.99
FFQ12Q2VJU	12,000	38/29	38/29	10¼ x 22 <sup>-5</sup> / <sub>8</sub> x 22 <sup>-5</sup> / <sub>8</sub>	¼ x ¾	36	\$1,139.83
FFQ15Q2VJU	15,000	42/31	42/31	10¼ x 22 <sup>-5</sup> / <sub>8</sub> x 22 <sup>-5</sup> / <sub>8</sub>	¼ x ½	36	\$1,399.27
FFQ18Q2VJU*	18,000	46/37	46/37	10¼ x 22 <sup>-5</sup> / <sub>8</sub> x 22 <sup>-5</sup> / <sub>8</sub>	¼ x ½	40	\$1,554.94

\*Contact your local distributor for availability.

Branch Port Unit*								
	Maximum Capacity	Dimensions (H x W x D)	Line Sizes & Quantity Outdoor		Line Sizes & Quantity Indoor		Weight	Price
BPMKS048A2U*	48000	7 <sup>7</sup> / <sub>16</sub> X 11 <sup>9</sup> / <sub>16</sub> X 13 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>8</sub> (1) X <sup>5</sup> / <sub>8</sub> (1)		<sup>1</sup> / <sub>4</sub> (2) X <sup>5</sup> / <sub>8</sub> (2)		18	\$800.00
BPMKS049A3U*	62000	7 <sup>7</sup> / <sub>16</sub> X 11 <sup>9</sup> / <sub>16</sub> X 13 <sup>3</sup> / <sub>4</sub>	<sup>3</sup> / <sub>8</sub> (1) X <sup>5</sup> / <sub>8</sub> (1)		<sup>1</sup> / <sub>4</sub> (3) X <sup>5</sup> / <sub>8</sub> (3)		20	\$1,000.00

\*Contact your local distributor for availability and pricing.

Piping & Connectivity						
	Enhanced Capacity		2MXS18NMVJU	3MXS24NMVJU	4MXS36NMVJU	RMXS48LVJU
	2MXL18QM VJU	3MXL24QM VJU				
Precharged for up to (ft)	98	131	98	131	131	
Max Pipe Length to Unit	82	82	82	82	82	230
Max TTL Pipe Length (ft)	164	230	164	230	230	442
Max Pipe Height (IDU)	49	49	49	49	49	98
Min - Max No. of Indoor Units	2	2-3	2	2-3	2-4	2 - 8
Max Total Evap Capacity	24000	39000	24000	39000	48000	62400
7,000 BTU Indoor Unit	X	X	X	X	X	X
9,000 BTU Indoor Unit	X	X	X	X	X	X
12,000 BTU Indoor Unit	X	X	X	X	X	X
15,000 BTU Indoor Unit	X	X	X	X	X	X
18,000 BTU Indoor Unit		X		X	X	X
24,000 BTU Indoor Unit					X	X

\*See Brochure and Engineering Data for Capacities and Ratings

\*See AHRI Directory for performance ratings by tested combination.

Optional Accessories		
Indoor Unit		List Price
BRC1E73	Wired Navigation Remote Controller (For Ceiling Cassette Only)	\$350.00
BRC7E830	Wireless Remote Controller (For Ceiling Cassette Only)	\$255.00
BRC944B2-A08	Wired Controller (For Wall-Mount and Slim Duct Units Only)	\$212.00
BRC082A42W	Wireless Remote Controller (White) (For Ceiling Cassette Only)	\$280.00
BRC082A42S	Wireless Remote Controller (Silver) (For Ceiling Cassette Only)	\$280.00
BYFQ60C2W1S	Low Profile Decoration Panel (Silver) - 1-1 <sup>3</sup> / <sub>16</sub> x 24- <sup>7</sup> / <sub>16</sub> x 24- <sup>7</sup> / <sub>16</sub> (For Ceiling Cassette Only)	\$244.19
BYFQ60C2W1W	Low Profile Decoration Panel (White) - 1-1 <sup>3</sup> / <sub>16</sub> x 24- <sup>7</sup> / <sub>16</sub> x 24- <sup>7</sup> / <sub>16</sub> (For Ceiling Cassette Only)	\$209.30
BRYQ60A2S	Sensor kit (Silver) Intelagent Eye, Comfort Airflow, and Floor Sensor (For Ceiling Cassette Only)	\$220.93
BRYQ60A2W	Sensor kit (White) Intelagent Eye, Comfort Airflow, and Floor Sensor (For Ceiling Cassette Only)	\$186.05
BDBHQ44C60	Sealing member of air discharge outlet (For Ceiling Cassette Only)	\$233.00
KAFQ441BA60	Longlife filter (For Ceiling Cassette Only)	\$108.00
BRP072A43	Wireless Interface Adapter (For Wall-Mount, floor mount and Slim Duct Units Only)	\$233.00
DACA-TS1-1	Daikin ENVi Intelligent Thermostat Kit (For Wall-Mount, floor mount and Slim Duct Units Only)	\$420.00
BRC944B2-A08	Wired Remote Controller kit (Includes BRC944B2 & BRCW901A08)	\$212.00
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)	\$80.00
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)	\$144.00
KRP928BB2S	Interface adaptor for DIII-NET	\$514.00
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads - 33 ft head - 22dB)	\$238.00
DACA-CP2-1	Condensate Pump (Higher ft head needs - 50 ft head - 38db)	\$284.00
DACA-CP3-1	Condensate Pump (Will not fit in certain unit size heads - 33 ft head - 22dB)	\$240.00
KAF968B42	Titanium apatite photocatalytic air-purifying filter (without frame) - FVXS	\$78.00
KAF952B42	09, 12 Class Air-purifying filter with photocatalytic deodorizing function (without frame) - CTXS, FTXS	\$85.00
KAF970A46	07, 15, 18 Class Air-purifying filter with photocatalytic deodorizing function (without frame) - CTXS, FTXS	\$78.00
KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame) - CTXG	\$78.00
DACA-ARCW901P10	IR Receiver Box Cable, Plenum Rated, 10ft (FDXS/CDXS Only)	\$85.00
DACA-ARCW901P25	IR Receiver Box Cable, Plenum Rated, 25ft (FDXS/CDXS Only)	\$175.00
KDT25N32	09, 12 Class Insulation kit for high humidity (FDXS/CDXS Only)	\$0.00
KDT25N50	15, 18 Class Insulation kit for high humidity (FDXS/CDXS Only)	\$105.00
<b>BP Unit</b>		List Price
KHRP26A22T	REFNET Joint	\$161.00
<b>Outdoor Unit</b>		List Price
DACA-WB-3	Mounting Bracket	\$127.00
KEH063A4E	Drain Pan Heater 2/3/4MXS & 2/3MXL	\$295.00
KPW063A4	Air Adjustment Grille	\$229.00
KKG063A42	Back protection wire net	\$179.00
KKG063A43	Side protection wire net	\$165.00
KPS063A41	Snow hood (intake side plate)	\$278.00
KPS063A44	Snow hood (intake rear plate)	\$313.00
KPS063A47	Snow hood (outlet)	\$505.00

Refer to Accessories Page for Line Set Options.

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

# SkyAir FAQ & FTXS

1.5 Ton to 3.0 Ton Cooling Only or Heat Pump  
Up to 19.3 SEER & 9.1 HSPF  
Single Zone Wall-Mount Systems



## Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 0° - 115°F / -17.7° - 46 .1°C \*\*
- Heating Operating Range 0° - 77°F / -17.7° - 25 °C \*\*
- Auto Changeover (Heat Pump Only)
- Auto Fan Speed Control
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger

\*\* With Wind Baffle

- Intelligent Eye (FTXS Only)
- 3-D Airflow (FTXS Only)
- Comfort Mode (FTXS Only)
- Weekly Timer (FTXS Only)
- Ultra Low Ambient Option (FTXS Only)
- Outdoor Unit Quiet Operation
- Vertical Auto Swing
- **Max Piping (18/24 MBH): 164' Length, 98' Height**
- **Max Piping (30/36 MBH): 98' Length, 66' Height**



2-Wire Wall-Mount Systems										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight * (lbs)	Line Size	MOCP	Price
<b>Cooling Only</b>										
RZR18PVJU	FAQ18PVJU	18,000	18.6	12.7	N/A	11 <sup>3</sup> / <sub>8</sub> x 41 <sup>3</sup> / <sub>8</sub> x 9	150 / 31	3/8 X 5/8	20	\$3,725.00
RZR24PVJU	FAQ24PVJU	24,000	17.6	10.2	N/A	11 <sup>3</sup> / <sub>8</sub> x 41 <sup>3</sup> / <sub>8</sub> x 9	150 / 31	3/8 X 5/8	20	\$3,950.00
<b>Heat Pump</b>										
RZQ18PVJU9	FAQ18PVJU	18,000	18.6	12.7	8.7	11 <sup>3</sup> / <sub>8</sub> x 41 <sup>3</sup> / <sub>8</sub> x 9	150 / 31	3/8 X 5/8	20	\$4,258.00
RZQ24PVJU9	FAQ24PVJU	24,000	17.6	10.2	9.1	11 <sup>3</sup> / <sub>8</sub> x 41 <sup>3</sup> / <sub>8</sub> x 9	150 / 31	3/8 X 5/8	20	\$4,630.00

\* Outdoor / Indoor

4-Wire Wall-Mount Systems										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight * (lbs)	Line Size	MOCP	Price
<b>Cooling Only</b>										
RKS30LVJU	FTXS30LVJU	30,000	19.3	10.7	N/A	13 <sup>3</sup> / <sub>8</sub> x 47 <sup>1</sup> / <sub>4</sub> x 9 <sup>7</sup> / <sub>16</sub>	179 / 38	3/8 X 5/8	20	\$4,400.00
RKS36LVJU	FTXS36LVJU	36,000	17.9	8.4	N/A	13 <sup>3</sup> / <sub>8</sub> x 47 <sup>1</sup> / <sub>4</sub> x 9 <sup>7</sup> / <sub>16</sub>	179 / 38	3/8 X 5/8	20	\$4,675.00
<b>Heat Pump</b>										
RXS30LVJU	FTXS30LVJU	30,000	19.3	10.7	8.3	13 <sup>3</sup> / <sub>8</sub> x 47 <sup>1</sup> / <sub>4</sub> x 9 <sup>7</sup> / <sub>16</sub>	179 / 38	3/8 X 5/8	20	\$5,052.00
RXS36LVJU	FTXS36LVJU	36,000	17.9	8.4	8.3	13 <sup>3</sup> / <sub>8</sub> x 47 <sup>1</sup> / <sub>4</sub> x 9 <sup>7</sup> / <sub>16</sub>	179 / 38	3/8 X 5/8	20	\$5,382.00

\* Outdoor / Indoor

Optional Accessories		
Indoor Unit - <b>Must include a controller for 2-wire systems</b>		Price
BRC1E73	Wired Navigation Remote Controller (FAQ)	\$350.00
BRC2A71	Simplified Wired Controller (FAQ)	\$201.00
BRC7E818	Wireless Remote Controller (FAQ)	\$276.75
BRC944B2-A08	Wired Remote Controller (FTXS)	\$212.00
DACA-TS1-1	Daikin ENVI Intelligent Thermostat Kit (FTXS)	\$420.00
DACA-CP3-1	Condensate Pump (fits inside all Daikin indoor unit heads)	\$240.00
<b>Outdoor Unit</b>		
		Price
2F018535-1	Ultra Low Ambient Kit (RKS30LVJU & FTXS30LVJU)	\$1,700.00
2F018535-2	Ultra Low Ambient Kit (RKS36LVJU & FTXS36LVJU)	\$1,700.00
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$127.00
KPW5E112	Air Adjustment Grille (RXS & RKS)	\$322.00
KEH041A44	Drain Pan Heater (RXS)	\$220.00
KPW5E80	Air Adjustment Grille (RZQ & RZR) (30, 36 and 42 require 2 each)	\$257.00

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

## 1.5 Ton to 3.5 Ton Cooling Only or Heat Pump Up to 17.5 SEER & 10.6 HSPF Single Zone DC Duct Systems



### Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 0° - 115°F / -17.7° - 46.1 °C \*\*
- Heating Operating Range 0° - 77°F / -17.7° - 25° C \*\*
- Up to 230 ft. of Maximum Piping Length
- Max Piping (18/24/30 MBH): 164' Length, 98' Height
- Max Piping (36/42 MBH): 230' Length, 164' Height
- Auto Changeover (Heat Pump Only)
- Auto Fan Speed Control
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Quiet Operation
- Outdoor Unit Quiet Operation

\*\* With Wind Baffle



Ducted Systems - Heat Pump											
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight * (lbs)	Line Size	MOCP	Price	
RZQ18PVJU9	FBQ18PVJU	18,000	17.5	14.1	10.6	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	150 / 80	1/4 X 3/8	20	\$4,927.00	
RZQ24PVJU9	FBQ24PVJU	24,000	16.5	12.0	10.5	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	150 / 80	3/8 X 5/8	20	\$5,780.00	
RZQ30PVJU	FBQ30PVJU	30,000	16.0	10.5	9.2	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	150 / 80	3/8 X 5/8	20	\$7,060.00	
RZQ36PVJU9	FBQ36PVJU	36,000	17.5	11.2	9.1	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	283 / 102	3/8 X 5/8	30	\$7,854.00	
RZQ42PVJU9	FBQ42PVJU	42,000	16.0	10.2	8.8	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	283 / 102	3/8 X 5/8	30	\$9,002.00	

\* Outdoor / Indoor

Ducted Systems - Cooling Only											
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight * (lbs)	Line Size	MOCP	Price	
RZR18PVJU	FBQ18PVJU	18,000	17.5	14.1	N/A	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	150 / 80	1/4 X 3/8	20	\$4,394.00	
RZR24PVJU	FBQ24PVJU	24,000	16.5	12.0	N/A	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	150 / 80	3/8 X 5/8	20	\$5,100.00	
RZR30PVJU	FBQ30PVJU	30,000	16.0	10.5	N/A	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	150 / 80	3/8 X 5/8	20	\$6,200.00	
RZR36PVJU	FBQ36PVJU	36,000	17.5	11.2	N/A	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	283 / 102	3/8 X 5/8	30	\$6,847.00	
RZR42PVJU	FBQ42PVJU	42,000	16.0	10.2	N/A	11 <sup>13</sup> / <sub>16</sub> X 39 <sup>3</sup> / <sub>8</sub> X 27 <sup>9</sup> / <sub>16</sub>	283 / 102	3/8 X 5/8	30	\$7,812.00	

\* Outdoor / Indoor

Accessories		
Indoor Unit - <b>Must include a controller</b>		Price
BRC1E73	Wired Navigation Remote Controller	\$350.00
BRC2A71	Simplified Wired Controller	\$201.00
BRC4C82	Wireless Remote Controller	\$369.00

Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$127.00
KPW5E80	Air Adjustment Grille (30, 36 and 42 require 2 each)	\$257.00

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

## 1.50 Ton to 3.5 Ton Cooling Only or Heat Pump Up to SEER 17.2 / Up to HSPF 10.1 Single Zone Roundflow Ceiling Cassette Systems



### Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 0° - 115°F / -17.7° - 46.1 °C \*\*
- Heating Operating Range 0° - 77°F / -17.7° - 25° C \*\*
- Up to 230 ft. of Maximum Piping Length
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height**
- **Max Piping (36/42 MBH): 230' Length, 164' Height**
- Auto Changeover (Heat Pump Only)
- Auto Fan Speed Control
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- 23 Configurable Airflow Patterns
- Outdoor Unit Quiet Operation

\*\* With Wind Baffle

### Roundflow Ceiling Cassette Systems - Heat Pump

Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSP F	Indoor Dimensions	Weight * (lbs)	Line Size	MOCP	Price
RZQ18PVJU9	FCQ18PAVJU	18,000	17.2	13.9	10.1	9 1/16 x 33 1/16 x 33 1/16	150 / 43.0	1/4 x 1/2	20	\$5,127.00
RZQ24PVJU9	FCQ24PAVJU	24,000	16.8	12.0	9.7	9 1/16 x 33 1/16 x 33 1/16	150 / 48.5	3/8 x 5/8	20	\$6,256.00
RZQ30PVJU	FCQ30PAVJU	30,000	15.8	10.2	9.7	9 1/16 x 33 1/16 x 33 1/16	150 / 48.5	3/8 x 5/8	20	\$7,462.00
RZQ36PVJU9	FCQ36PAVJU	36,000	17.5	11.2	8.4	11 5/16 x 33 1/16 x 33 1/16	283 / 55.0	3/8 x 5/8	30	\$8,504.00
RZQ42PVJU9	FCQ42PAVJU	42,000	16.0	10.2	8.5	11 5/16 x 33 1/16 x 33 1/16	283 / 55.0	3/8 x 5/8	30	\$9,702.00

\* Outdoor / Indoor

### Roundflow Ceiling Cassette Systems - Cooling Only

Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSP F	Indoor Dimensions	Weight * (lbs)	Line Size	MOCP	Price
RZR18PVJU	FCQ18PAVJU	18,000	17.2	13.9	N/A	9 1/16 x 33 1/16 x 33 1/16	150 / 43.0	1/4 x 1/2	20	\$4,594.00
RZR24PVJU	FCQ24PAVJU	24,000	16.8	12.0	N/A	9 1/16 x 33 1/16 x 33 1/16	150 / 48.5	3/8 x 5/8	20	\$5,576.00
RZR30PVJU	FCQ30PAVJU	30,000	15.8	10.2	N/A	9 1/16 x 33 1/16 x 33 1/16	150 / 48.5	3/8 x 5/8	20	\$6,602.00
RZR36PVJU	FCQ36PAVJU	36,000	17.5	11.2	N/A	11 5/16 x 33 1/16 x 33 1/16	283 / 55.0	3/8 x 5/8	30	\$7,497.00
RZR42PVJU	FCQ42PAVJU	42,000	16.0	10.2	N/A	11 5/16 x 33 1/16 x 33 1/16	283 / 55.0	3/8 x 5/8	30	\$8,512.00

\* Outdoor / Indoor

### Accessories

Indoor Unit - <b>Must include decoration panel and a controller</b>		Price
BRC1E73	Wired Navigation Remote Controller	\$350.00
BRC2A71	Simplified Wired Controller	\$201.00
BYCP125K-W1	Decoration Panel	\$0.00

### Outdoor Unit

		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$127.00
KPW5E80	Air Adjustment Grille (30, 36 and 42 require 2 each)	\$257.00

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

## 1.5 Ton to 3.5 Ton Cooling Only or Heat Pump Up to 18.1 SEER & 11.1 HSPF Single Zone Ceiling-Suspended Systems



### Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 0° - 115°F / -17.7° - 46.1 °C \*\*
- Heating Operating Range 0° - 77°F / -17.7° - 25° C \*\*
- Up to 230 ft. of Maximum Piping Length
- **Max Piping (18/24/30 MBH): 164' Length, 98' Height**
- **Max Piping (36/42 MBH): 230' Length, 164' Height**

\*\* With Wind Baffle

- Auto Fan Speed Control
- Auto Changeover (Heat Pump Only)
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- Full Capacity at Ceiling Heights up to 12.5 ft.
- Outdoor Unit Quiet Operation



Ceiling-Suspended Units - Heat Pump										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight * (lbs)	Line Size	MOCP	Price
RZQ18PVJU9	FHQ18PVJU	18,000	18.0	14.0	11.1	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	20	\$4,877.00
RZQ24PVJU9	FHQ24PVJU	24,000	18.1	12.6	10.0	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	20	\$5,356.00
RZQ30PVJU	FHQ30PVJU	30,000	17.2	10.5	8.4	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	20	\$6,512.00
RZQ36PVJU9	FHQ36MVJU	36,000	14.0	10.2	8.2	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	30	\$7,404.00
RZQ42PVJU9	FHQ42MVJU	42,000	14.0	9.5	8.2	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	30	\$8,502.00

\* Outdoor / Indoor

Ceiling-Suspended Units - Cooling Only										
Outdoor Unit	Indoor Unit	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight * (lbs)	Line Size	MOCP	Price
RZR18PVJU	FHQ18PVJU	18,000	18.0	14.0	N/A	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	20	\$4,344.00
RZR24PVJU	FHQ24PVJU	24,000	18.1	12.6	N/A	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	20	\$4,676.00
RZR30PVJU	FHQ30PVJU	30,000	17.2	10.5	N/A	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	20	\$5,652.00
RZR36PVJU	FHQ36MVJU	36,000	14.0	10.2	N/A	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	30	\$6,397.00
RZR42PVJU	FHQ42MVJU	42,000	14.0	9.5	N/A	7 <sup>11</sup> / <sub>16</sub> x 62 <sup>5</sup> / <sub>8</sub> x 26 <sup>3</sup> / <sub>4</sub>	150 / 90.0	3/8 x 5/8	30	\$7,312.00

\* Outdoor / Indoor

Accessories		
Indoor Unit - <b>Must include a controller</b>		Price
BRC1E73	Wired Navigation Remote Controller	\$350.00
BRC2A71	Simplified Wired Controller	\$201.00
BRC7E83	Wireless Remote Controller	\$293.00

Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$127.00
KPW5E80	Air Adjustment Grille (30, 36, and 42 require 2 each)	\$257.00

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016



**1.5 Ton to 3.5 Ton Heat Pump  
Up to 20 SEER & 12.0 HSPF  
Single Zone Ducted Unitary Systems**



**Standard Features**

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 23° - 115°F / -5° - 46.1°C \*\*
- Heating Operating Range 0° - 77°F / -17.7° - 25° C \*\*
- Up to 230 ft. of Maximum Piping Length
- **Max Piping (18/24 MBH): 98' Length, 98' Height**
- **Max Piping (30/36/42 MBH): 230' Length, 164' Height**

\*\* With Wind Baffle

- Auto Changeover
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display
- Upflow or Horizontal Right Configurations
- Anti-Corrosion Treatment on Heat Exchanger
- Optional Electrical Resistance Heat
- Outdoor Unit Quiet Operation



Ducted Unitary Systems - Heat Pump										
Outdoor Unit	Indoor Unit	Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight *	Line Size	MOCP	Price
RZQ18PVJU9	FTQ18PBVJU	18,000	20.0	14.5	12.0	48 1/8 x 22 x 26	150 / 150	3/8 x 5/8	20	\$6,875.00
RZQ24PVJU9	FTQ24PBVJU	24,000	19.0	13.5	11.5	58 1/4 x 22 x 26	150 / 150	3/8 x 5/8	20	\$7,540.00
RZQ30PVJU9	FTQ30PBVJU	30,000	19.5	13.5	10.0	58 1/4 x 22 x 26	283 / 192	3/8 x 5/8	30	\$8,730.00
RZQ36PVJU9	FTQ36PBVJU	36,000	18.0	12.5	9.5	58 1/4 x 22 x 26	283 / 192	3/8 x 5/8	30	\$9,547.00
RZQ42PVJU9	FTQ42PBVJU	42,000	17.0	12.0	9.0	58 1/4 x 22 x 26	283 / 203	3/8 x 5/8	30	\$10,620.00

\* Outdoor / Indoor

Accessories			Price
Indoor Unit - <b>Must include a controller</b>			Price
BRC1E73	Wired Navigation Remote Controller		\$350.00
BRC4C82	Wireless Remote Controller		\$369.00
KER26A60	Electric Heater Connection Kit (Required for Electric Heater Kit)		\$200.00

Electric Heater Kit	FTQ18PBVJU	FTQ24PBVJU	FTQ30PBVJU	FTQ36PBVJU	FTQ42PBVJU	Price
HKR-03	○	○	○	○	○	\$33.00
HKR-05C	●	●	○	○	○	\$44.00
HKR-06	●	●	●	●	○	\$44.00
HKR-08C	X	●	●	●	○	\$55.00
HKR-10C	X	●	●	●	●	\$58.00
HKR-15C	X	X		X	●*	\$95.00

○ Electric heater option with heat pump is allowed.

● Only electric heater operation is allowed.

X Not allowed.

\*Acceptable for 2-step control

Outdoor Unit	Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket \$127.00
KPW5E80	Air Adjustment Grille (30, 36 and 42 require 2 each) \$257.00

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Dec-2016

